

| Cancer 2003 ** | | Newly Diagnosed | All Cancer Deaths to Diagnosis Ratio | New Deaths | Cancer 2003 ** | |
|------------------|------------------------------------|-----------------|--------------------------------------|---------------|------------------------------------|----|
| ALL CANCER SITES | | Total 1,334,100 | 42% | Total 556,500 | ALL CANCER SITES | |
| | Cancer Site | Newly Diagnosed | Ratio by Site | New Deaths | Cancer Site | |
| 1 | * Pancreas | 30,700 | 98% | 30,000 | * Pancreas | 1 |
| 2 | * Esosophagus | 13,900 | 94% | 13,000 | * Esosophagus | 2 |
| 3 | * Lung & Bronchus | 171,900 | 91% | 157,200 | * Lung & Bronchus | 3 |
| 4 | * Liver & Intrahepatic Bile Duct | 17,300 | 83% | 14,400 | * Liver & Intrahepatic Bile Duct | 4 |
| 5 | * Myeloma | 14,600 | 75% | 10,900 | * Myeloma | 5 |
| 6 | * Brain & other Nervous System | 18,300 | 72% | 13,100 | * Brain & other Nervous System | 6 |
| 7 | * Myeloid Leukemia | 14,800 | 64% | 9,500 | * Myeloid Leukemia | 7 |
| 8 | * Other Repiratory | 4,400 | 61% | 2,700 | * Other Repiratory | 8 |
| 9 | * Ovary | 25,400 | 56% | 14,300 | * Ovary | 9 |
| 10 | * Stomach | 22,400 | 54% | 12,100 | * Stomach | 10 |
| 11 | * Bones & Joints | 2,400 | 54% | 1,300 | * Bones & Joints | 11 |
| 12 | * Lymphocytic Leukemia | 10,900 | 53% | 5,800 | * Lymphocytic Leukemia | 12 |
| 13 | * other Oral | 3,100 | 52% | 1,600 | * other Oral | 13 |
| 14 | * Gallbladder & other Biliary | 6,800 | 51% | 3,500 | * Gallbladder & other Biliary | 14 |
| 15 | * Other Endocrine | 1,800 | 50% | 900 | * Other Endocrine | 15 |
| 16 | *Other non-epithial | 4,600 | 48% | 2,200 | *Other non-epithial | 16 |
| 17 | * Soft Tissue | 8,300 | 47% | 3,900 | * Soft Tissue | 17 |
| 18 | * Non-Hodgkins Lymph. | 53,400 | 44% | 23,400 | * Non-Hodgkins Lymph. | 18 |
| 19 | * Other Digestive | 4,500 | 42% | 1,900 | * Other Digestive | 19 |
| 20 | * Larynx | 9,500 | 40% | 3,800 | * Larynx | 20 |
| 21 | *Vagina & other genital organs (F) | 2,000 | 40% | 800 | *Vagina & other genital organs (F) | 21 |
| 22 | * Colon & Rectum | 147,500 | 39% | 57,100 | * Colon & Rectum | 22 |
| 23 | * kidney & Renal pelvis | 31,900 | 37% | 11,900 | * kidney & Renal pelvis | 23 |
| 24 | * Cervix (Uterus) | 12,200 | 34% | 4,100 | * Cervix (Uterus) | 24 |
| 25 | * Ureter & other urinary organs | 2,400 | 29% | 700 | * Ureter & other urinary organs | 25 |
| 26 | * Tongue | 7,100 | 24% | 1,700 | * Tongue | 26 |
| 27 | * Pharynx | 8,300 | 24% | 2,000 | * Pharynx | 27 |
| 28 | * Urinary Bladder | 57,400 | 22% | 12,500 | * Urinary Bladder | 28 |
| 29 | * Mouth | 9,200 | 21% | 1,900 | * Mouth | 29 |
| 30 | * Small Intestine | 5,300 | 21% | 1,100 | * Small Intestine | 30 |
| 31 | * Vulva | 4,000 | 20% | 800 | * Vulva | 31 |
| 32 | * Breast | 212,600 | 19% | 40,200 | * Breast | 32 |
| 33 | * Endometrium | 40,100 | 17% | 6,800 | * Endometrium | 33 |
| 34 | * Melanoma (skin) | 54,200 | 14% | 7,600 | * Melanoma (skin) | 34 |
| 35 | * Penis & other genital organs (M) | 1,400 | 14% | 200 | * Penis & other genital organs (M) | 35 |
| 36 | * Anus, Anal-Canal, and Anorectum | 4,000 | 13% | 500 | * Anus, Anal-Canal, Anorectum | 36 |
| 37 | * Prostate | 220,900 | 13% | 28,900 | * Prostate | 37 |
| 38 | * Eye and Orbit | 2,200 | 9% | 200 | * Eye and Orbit | 38 |
| 39 | * Thyroid | 22,000 | 6% | 1,400 | * Thyroid | 39 |
| 40 | * Testis | 7,600 | 5% | 400 | * Testis | 40 |

** Source: American Cancer Society

©Chart prepared by John E. Holliday, FACMPE